

# INPLASY PROTOCOL

## Overdentures: an overview of meta-analysis

To cite: Capcha et al.  
Overdentures: an overview of  
meta-analysis. Inplasy protocol  
202040059. doi:  
10.37766/inplasy2020.4.0059

Capcha EB<sup>1</sup>; Espinoza KI<sup>2</sup>; Di Francesco F<sup>3</sup>; Cafferata EA<sup>4</sup>,  
Alarcón MA<sup>5</sup>.

Received: 11 April 2020

Published: 11 April 2020

**Corresponding author:**  
Estefani Brisett Capcha  
Espinoza

estefani.capcha@gmail.com

**Author Affiliation:**  
Universidad Peruana Cayetano  
Heredia

**Support:** None.

**Review Stage at time of this  
submission:** Piloting of the  
study selection process.

**Conflicts of interest:** None.

**Review question / Objective:** What is the quality of systematic reviews with meta-analysis that evaluate implant-supported overdenture treatments?

**Condition being studied:** Quality of reporting and risk of bias of systematic reviews with meta-analysis that evaluate implant-supported overdenture treatments.

**Rationale:** Systematic reviews of intervention studies are essential for evidence-based clinical decision-making, the scientific rigor with which they're made can substantially affect the interpretation of their results. Therefore, minimal bias and optimal quality of reporting of these systematic reviews with meta-analysis is needed in order to propose trustworthy clinical recommendations and reliable application of clinical protocols.

**INPLASY registration number:** This protocol was registered with the International Platform of Registered Systematic Review and Meta-Analysis Protocols (INPLASY) on 11 April 2020 and was last updated on 11 April 2020 (registration number INPLASY202040059).

### INTRODUCTION

**Review question / Objective:** What is the quality of systematic reviews with meta-analysis that evaluate implant-supported overdenture treatments?

**Rationale:** Systematic reviews of intervention studies are essential for evidence-based clinical decision-making, the scientific rigor with which they're made can substantially affect the interpretation of their results. Therefore, minimal bias and optimal quality of reporting of these

systematic reviews with meta-analysis is needed in order to propose trustworthy clinical recommendations and reliable application of clinical protocols.

**Condition being studied:** Quality of reporting and risk of bias of systematic reviews with meta-analysis that evaluate implant-supported overdenture treatments.

### METHODS

**Search strategy:** (((((((overdenture\* OR conventional denture\* OR complete

denture\* OR removable total denture\* OR denture\* OR bar attachment OR ball OR locator OR magnetic attachment OR o-ring OR matrix attachment OR telescopic overdenture OR dolder bar OR clip-retained)))) AND (((("Dental Prosthesis, Implant-Supported"[Mesh] OR implant-retained dentures\* OR implant supported dentures\* OR implant)))) AND systematic review)).

**Participant or population:** Systematic reviews with meta-analysis that evaluate implant-supported overdenture treatments.

**Intervention:** Implant-supported overdenture treatments.

**Comparator:** Treatments different from implant-supported overdentures.

**Study designs to be included:** Systematic reviews with metanalysis that evaluate randomized clinical trials (RCT) or non-randomized controlled clinical trials (CCT).

**Eligibility criteria:** Systematic reviews with meta-analysis that evaluate interventions with implant-supported overdentures, published until March 31, 2020 in English. Systematic reviews that evaluated more than one implant-supported type of prosthesis or the combination of tooth- and implant-supported prostheses were excluded.

**Information sources:** Electronic search: Medline via Pubmed, Embase and Cochrane Oral health. Manual search: Journal of Oral Rehabilitation, Journal of Prosthodontic Research, International Journal of Prosthodontics, Journal of Evidence-Based Dental Practice, Journal of Prosthodontics-Implant Esthetic and Reconstructive, Clinical Implant Dentistry and Related Research, Clinical Oral and Implant Research, European Journal of Oral Implantology, International Journal of Oral & Maxillofacial Implants and Journal of Oral Implantology. Apart from these journals, the references of the included studies will be searched.

**Main outcome(s):** Quality of reporting and risk of bias.

**Additional outcome(s):** None.

**Data management:** This systematic review will assess the included articles qualitatively.

**Quality assessment / Risk of bias analysis:** The included systematic reviews will be assessed with the AMSTAR-2 checklist by two previously calibrated reviewers, independently.

**Strategy of data synthesis:** Qualitative synthesis.

**Subgroup analysis:** None.

**Sensibility analysis:** None.

**Language:** English.

**Country(ies) involved:** Peru.

**Keywords:** Review, meta-analysis, overdenture, Implant-supported prosthesis.

**Dissemination plans:** This work will be send to a peer-reviewed journal for its publication.

**Contributions of each author:**

Author 1 - Independent search, selection and extraction of the articles. Evaluation of the quality of the articles using the AMSTAR-2.

Author 2 - Independent search, selection and extraction of the articles. Evaluation of the quality of the articles using the AMSTAR-2.

Author 3 - Provide critical analysis of the articles for the discussion.

Author 4 - Draft, revise and write the manuscript. Set-up the research study design. Provide critical analysis of the articles for the discussion. Revise extracted data, and risk of bias analysis.

Author 5 - Desing of the research AMSTAR-2 calibration of the two independent reviewers. Draft and revise the manuscript.