INPLASY PROTOCOL

To cite: Wang et al. eneficial Effect of Time-Restricted Eating on Blood Pressure. Inplasy protocol 202280057. doi:

10.37766/inplasy2022.8.0057

Received: 15 August 2022

Published: 15 August 2022

Corresponding author: Ran Wei

m18369610533@163.com

Author Affiliation: Beijing Hospital.

Support: National Natural Science Found.

Review Stage at time of this submission: Completed but not published.

Conflicts of interest: None declared.

INTRODUCTION

Review question / Objective: P:People I: Time-Restricted Eating C:unrestricted eating O:Blood Pressure S:RCTs.

Condition being studied: Time-Restricted Eating (TRE) has brought about enormous promise in fighting against obesity and metabolic disease. The concept of TRE stems from studies of the effects of food timing on the circadian system. One of the

eneficial Effect of Time-Restricted Eating on Blood Pressure

Wang, WH1; Wei, R2; Pan, Q3; Guo, LX4.

Review question / Objective: P:People I: Time-Restricted Eating C:unrestricted eating O:Blood Pressure S:RCTs.

Condition being studied: Time-Restricted Eating (TRE) has brought about enormous promise in fighting against obesity and metabolic disease. The concept of TRE stems from studies of the effects of food timing on the circadian system. One of the major adverse consequences of circadian rhythm disturbances is an increased risk of cardiovascular disease.

INPLASY registration number: This protocol was registered with the International Platform of Registered Systematic Review and Meta-Analysis Protocols (INPLASY) on 15 August 2022 and was last updated on 15 August 2022 (registration number INPLASY202280057).

major adverse consequences of circadian rhythm disturbances is an increased risk of cardiovascular disease.

METHODS

Participant or population: People.

Intervention: Time-Restricted Eating.

Comparator: unrestricted eating.

Study designs to be included: RCTs.

Eligibility criteria: Study metrics must cover blood pressure, including baseline and post-intervention values. Above values were expressed as mean and standard deviation (SD).

Information sources: Eectronic databases, contact with authors, trial registers, or grey literature.

Main outcome(s): Blood Pressure.

Quality assessment / Risk of bias analysis: Risk of bias tool (RoB2) Revman5.4 risk of bias.

Strategy of data synthesis: The metaanalysis and meta-regression were performed by Stata version 16.

Subgroup analysis: Upon stratification by the duration of TRE intervention, we divided the studies into 8 weeks and 12 weeks.

Sensitivity analysis: Excluding studies one by one, the combined effect size before and after did not change significantly.

Country(ies) involved: China.

Keywords: time-restricted eating; blood pressure; meta-analysis.

Contributions of each author:

Author 1 - weihao Wang.

Author 2 - Ran Wei.

Author 3 - Qi Pan.

Author 4 - Lixin Guo.