

INPLASY PROTOCOL

To cite: Liang et al. The Effect of Vitamin C on Sepsis in Adult Patients: A Systematic Review and Meta-analysis. Inplasy protocol 2022110147. doi: 10.37766/inplasy2022.11.0147

Received: 29 November 2022

Published: 29 November 2022

Corresponding author:
Tongwen Sun

suntongwen@163.com

Author Affiliation:
General ICU, The First Affiliated
Hospital of Zhengzhou
University, Henan Key
Laboratory of Critical Care
Medicine, China.

Support: U2004110; 82172129.

**Review Stage at time of this
submission:** Piloting of the
study selection process.

Conflicts of interest:
None declared.

The Effect of Vitamin C on Sepsis in Adult Patients: A Systematic Review and Meta-analysis

Liang, HY¹; Liu, LL²; Mu, QQ³; Cui, YQ⁴; Sun, TW⁵.

Review question / Objective: We research the effect of vitamin C on death of adult septic patients.
Condition being studied: Sepsis.
Study designs to be included: RCTs.
Eligibility criteria: The studies reported the related outcomes of vitamin C treating for sepsis in adult patients.

INPLASY registration number: This protocol was registered with the International Platform of Registered Systematic Review and Meta-Analysis Protocols (INPLASY) on 29 November 2022 and was last updated on 29 November 2022 (registration number INPLASY2022110147).

INTRODUCTION

Review question / Objective: We research the effect of vitamin C on death of adult septic patients.

Condition being studied: Sepsis.

METHODS

Participant or population: Sepsis or septic patients.

Intervention: Vitamin C.

Comparator: Placebo or control.

Study designs to be included: RCTs.

Eligibility criteria: The studies reported the related outcomes of vitamin C treating for sepsis in adult patients.

Information sources: MEDLINE, EMBASE, and the Cochran Register of Controlled Trials.

Main outcome(s): 28-day all-cause mortality.

Quality assessment / Risk of bias analysis: We performed risk assessment using the Cochrane Collaboration risk of bias tool.

Strategy of data synthesis: Dichotomous and continuous data uses the Mean and RR.

Subgroup analysis: The subgroup analysis performed would be based on our study aims.

Sensitivity analysis: Sensitivity analyses were conducted for the primary out- come by using the adjusted RRs with the generic inverse variance method.

Country(ies) involved: China.

Keywords: Vitamin C; Sepsis; Septic shock; Hydrocortisone; Meta-analysis.

Contributions of each author:

Author 1 - Huoyan Liang - The author drafted the manuscript and search the studies.

Author 2 - Liming Liu - searched the studies.

Email: 17865190331@163.com

Author 3 - Qingqing Mu - searched the studies.

Email: a2628734619@126.com

Author 4 - Yuqing Cui - searched the studies.

Email: cuiyuqing2018@163.com

Author 5 - Tongwen Sun - The author designed the study.

Email: suntongwen@163.com