

# INPLASY

## Accuracy of digital impression taking versus conventional impression taking in partially edentulous patients: A systematic review and meta-analysis Accuracy of digital Impression Taking versus Conventional Impression Taking in Partially Edentulous Patients

INPLASY202530032

doi: 10.37766/inplasy2025.3.0032

Received: 7 March 2025

Published: 7 March 2025

Park, J; Kruger, E; Dawson, A; Villata, L.

### Corresponding author:

Joon Soo Park

alex.park@uwa.edu.au

### Author Affiliation:

The University of Australia.

### ADMINISTRATIVE INFORMATION

**Support** - None.

**Review Stage at time of this submission** - The review has not yet started.

**Conflicts of interest** - None declared.

**INPLASY registration number:** INPLASY202530032

**Amendments** - This protocol was registered with the International Platform of Registered Systematic Review and Meta-Analysis Protocols (INPLASY) on 7 March 2025 and was last updated on 7 March 2025.

### INTRODUCTION

**Review question / Objective** This systematic review aims to assess the accuracy of digital impression taking versus conventional impression taking in partially dentate patients undergoing implant prosthodontic treatment. The primary objective is to evaluate 3D accuracy based on implant deviation measurements and determine whether any observed differences are clinically significant.

**Rationale** Digital impression techniques are gaining prominence in implant dentistry due to their efficiency, patient comfort, and potential for improved accuracy. However, there is a need to systematically assess whether digital impressions provide comparable or superior accuracy to conventional impressions in partially dentate patients. This review will synthesise available evidence on the accuracy of these two techniques, with a focus on clinically relevant outcomes.

**Condition being studied** Partially dentate patients requiring implant prosthodontic treatment, with a focus on impression accuracy.

### METHODS

**Search strategy** Electronic databases including PubMed, Scopus, Web of Science, Cochrane Library, and Embase will be searched. The search terms will include "digital impression," "conventional impression," "implant accuracy," "partially edentulous," "partially dentate", and "intraoral scanner." Grey literature and conference proceedings will also be screened.

**Participant or population** Partially dentate patients undergoing implant prosthodontic treatment.

**Intervention** Digital impression techniques using intraoral scanners.

---

**Comparator** Conventional impression techniques using elastomeric materials.

**Study designs to be included** Randomised controlled trials (RCTs); Non-randomised clinical studies.

#### Eligibility criteria

Inclusion criteria

- Studies assessing 3D accuracy of digital versus conventional implant impressions.
- Studies involving partially dentate patients.

Exclusion criteria

- Studies not measuring quantitative implant deviation.
- Case reports, opinion papers, and narrative reviews.

**Information sources** Electronic databases, reference lists of relevant studies, contact with study authors, and screening of grey literature.

**Main outcome(s)** 3D accuracy of digital versus conventional impressions, assessed by implant deviation measurements.

#### Additional outcome(s)

- Influence of implant angulation on accuracy.
- Effect of different intraoral scanners.
- Clinical significance of differences in accuracy.

**Data management** A structured data extraction form will be used to collect relevant study characteristics, methodologies, and results. Data will be stored in a secure, cloud-based database.

**Quality assessment / Risk of bias analysis** The Cochrane Risk of Bias tool (for RCTs), CONSORT (if applicable), and the Newcastle-Ottawa Scale (for observational studies) will be used.

**Strategy of data synthesis** A meta-analysis will be conducted where appropriate. If high heterogeneity is detected, a narrative synthesis will be used. Subgroup analyses will be performed based on impression technique, implant angulation, and scanner type.

#### Subgroup analysis

- Implant angulation
- Type of intraoral scanner used
- Medical history (if applicable).

**Sensitivity analysis** A sensitivity analysis will be performed to assess the impact of study quality on findings, excluding studies with high risk of bias.

**Country(ies) involved** Australia.

**Keywords** Digital impression; Conventional impression; Implant accuracy; Intraoral scanner; Prosthodontics.

**Dissemination plans** Findings will be submitted for publication in a peer-reviewed dental journal and presented at relevant conferences.

#### Contributions of each author

Author 1 - Joon Soo Park.

Author 2 - Estie Kruger.

Author 3 - Anthony Dawson.

Author 4 - Luke Villata.