

INPLASY

Effects Of Combined Exercise Interventions on Cognition In Older Persons With or Without Mild Cognitive Impairment: A Systematic Review And Meta-Analysis

INPLASY202590039

doi: 10.37766/inplasy2025.9.0039

Received: 11 September 2025

Published: 11 September 2025

Corresponding author:

Kaan Akalp

dakalp@hotmail.com

Author Affiliation:

University of Coimbra, Faculty of Physical Education and Sport Science, University of Coimbra, 3040-248 Coimbra, Portugal.

Akalp, K; Ferreira, J; Soares, C; Besikci, H; Bizarro, AC; Ribeiro, M; Teixeira, A.

ADMINISTRATIVE INFORMATION

Support - Kaan Akalp is a grant holder from Portuguese Foundation for Science and Technology with a grant number 2023.00738.BD.

Review Stage at time of this submission - Data analysis.

Conflicts of interest - None declared.

INPLASY registration number: INPLASY202590039

Amendments - This protocol was registered with the International Platform of Registered Systematic Review and Meta-Analysis Protocols (INPLASY) on 11 September 2025 and was last updated on 17 June 2026.

INTRODUCTION

Review question / Objective a) What are the effects of the combined exercises with cognitive training compared to physical exercise alone on overall cognition, and cognition-related blood biomarkers in older persons with or without mild cognitive impairment (MCI)?

b) Do the effects of combined exercises with cognitive training on overall cognition differ across exercise types in older persons with or without MCI?

Rationale A growing aging population with a sedentary lifestyle may cause an increase in the incidence of neurodegenerative diseases such as dementia. Exercise is among the most effective strategies against cognitive decline with age and a sedentary lifestyle. In addition, cognitive training may facilitate neural connections and preserve cognitive functions. Therefore, a combination of exercise and cognitive training may have more pronounced effects for preserving cognitive

function in aging. Despite the number of studies that have analyzed the effects of combined exercise with cognitive training on cognitive function compared to the impact of exercise alone, in older persons with or without MCI, there is a lack of a more comprehensive approach. This systematic review and meta-analysis will allow us to identify the magnitude of the effect of different strategies, providing insights for investigators and clinicians.

Condition being studied The effects of combination of exercise with cognitive training, in comparison with exercise alone, on overall cognitive function and the influence of the type of exercise on those effects in persons with or without MCI remain unclear. The effects of combined exercise with cognitive training on different cognitive functions have been studied. However, the design of cognitive training and the type of exercise may influence cognitive outcomes and the cognitive domains that were assessed. Our study may contribute to the field by examining

different types of combined exercises and comparing the effects of combined exercises and cognitive training on overall cognitive function and their influence on neuroprotective and inflammatory blood markers.

METHODS

Search strategy A search strategy was developed in accordance with the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) guidelines by using the keywords and inclusion criteria defined by the authors. The keywords used in the search strategy were a combination of Mesh terms and free text words as follow : ("Older Adults" OR "Older Persons" OR "Elderly" OR "Aging" OR "MCI" OR "Mild Cognitive Impairment") AND ("Dual Task" OR "Multimodal" OR "Cognitive Training" OR "Cognitive Stimulation" OR "Exergame" OR "Exergaming") AND (" Physical Exercise " OR "Aerobic Exercise " OR "Resistance Exercise " OR " Exercise " OR " Physical Activity") AND ("Mental health" OR "Cognitive assessment" OR "Memory" OR "Neurogenesis" OR "Neuroplasticity" OR "Brain health" OR "BDNF" OR "IGF-1" OR "IL-6" OR "TNF-alpha" OR "VEGF" OR "Irisin" OR "NFL" OR "Cognition" OR "MMSE" OR "MoCA" OR "Cognitive Function"). The search was conducted in Web of Science, Scopus, PsychInfo and US National Library of Medicine National Institutes of Health (PubMed) without time restrictions. The last search was performed on 18 May 2026.

Participant or population Older persons, both male and female, with and without MCI, are included. We excluded supplement usage, the population with dementia, and the population with obesity.

Intervention We review studies that included both exercise intervention with cognitive training and exercise alone in the context of aerobic, resistance, and multicomponent exercise. We included all levels of exercise intensities.

Comparator Our comparator group is the group that performed only exercise without cognitive training. However, the type of exercise is the same as that of the combined intervention group.

Study designs to be included Non-randomized and randomized controlled trials.

Eligibility criteria The inclusion criteria for the present SRMA were studies: (a) with older persons (> 50) with or without MCI (this populations are pooled due to evaluate overall efficacy of the

combined intervention, given that such interventions are implemented across cognitive profiles); (b) evaluating regular or chronic exercise effects; (c) including both combined exercise (with cognitive training) and exercise groups only; (d) with randomized or non-randomized controlled trials; (e) where cognitive function was measured via quantitative assessment tools (e.g., MoCA, MMSE, Stroop Task); (f) with reports published in English language.

Information sources US National Library of Medicine National Institutes of Health (PubMed), Web of Science, Scopus and PsychInfo.

Main outcome(s) Our outcome is overall effects of combined interventions on the cognitive performance and on the blood biomarkers in older persons with or without MCI. Therefore, multiple outcomes that reported in the studies were combined and presented as single effect size by using Comprehensive Meta-Analysis (CMA) software (Biostat, Englewood, NJ, USA, version 4.0) selecting the standard difference in means metric. In order to calculate effect sizes, we used data of sample size, pre-post combined intervention and only exercise group size, means and standard deviations (sd), effect direction, pre-post correlation and standardized by sd score changes. We utilized random effect model. Effect size was categorized as trivial ($d \leq 0.20$), small ($0.21 < d < 0.50$), moderate ($0.51 < d < 0.79$) and large ($d \geq 0.80$).

Data management Comprehensive Meta-Analysis 4.0; EndNote 20.2; Microsoft Word.

Quality assessment / Risk of bias analysis Methodological quality of the studies was assessed by using a modified version of the Downs and Black checklist for randomized and non-randomized designs of health care intervention.

Strategy of data synthesis The collected data was imported into EndNote 20.2 program. The imported references were screen to determinate eligibility for the study by using following screening strategy; (a) All duplicates removed; (b) articles were screened by title and abstract, and excluded if they did not include necessary information about topic; (c) full text articles whose did not meet our inclusion criteria were excluded; (d) Methodological quality of the studies was evaluated using the Modified Downs and Black checklist. Data extraction and screening were performed according to the PRISMA guidelines.

Subgroup analysis Subgroup analyses were conducted to evaluate the different types of exercise.

Sensitivity analysis We did not perform Sensitivity Analysis.

Language restriction Only articles that were published in the English language are included.

Country(ies) involved Portugal.

Keywords Exercise; Aging; Cognitive Function; Mild Cognitive Impairment; Cognitive Training.

Contributions of each author

Author 1 - KAAAN AKALP - Conceptualization; Methodology, Software; Formal Analysis; Writing. Email: dakalp@hotmail.com

Author 2 - Jose Pedro Ferreira - Methodology, Formal Analysis, Writing – Review & Editing, Visualization, Supervision. Email: jpferreira@fcdef.uc.pt

Author 3 - Carlos Soares - Writing – Review & Editing, Methodology, Visualization. Email: solrach2o@gmail.com

Author 4 - Hicran Besikci- Writing – Review & Editing, Methodology. Email: hicran.besikci@gmail.com

Author 5- Ana Catarina Bizarro- Writing – Review & Editing. Email: catarina_bizarro39@hotmail.com

Author 6 - Maria Ribeiro - Writing – Review & Editing, Visualization, Supervision. Email: mjribeiro@fmed.uc.pt

Author 7 - Ana Teixeira - Methodology, Writing – Review & Editing; Visualization; Supervision. Email: ateixeira@fcdef.uc.pt